Bedford County Public Service Authority 1723 Falling Creek Road Bedford, VA 24523-3137 (540) 586-7679 (phone) (540) 586-5805 (fax) e.handy@bcpsa.com



November 27, 2007

Department of Environmental Quality West Central Regional Office 3019 Peters Creek Road Roanoke, Va. 24019-2738

Attention: Kevin Harlow

DEQ-WCRO NOV 2 8 2007

RECEIVED

Re: Thaxton Permit Renewal- VA0020869

Dear Susan,

Please find enclosed the permit renewal for Thaxton Elementary School WWTP.

The PSA would like to request a waiver for the fecal coliform application testing. Please let me know if there is anything further we need to do in reference to this permit. I would like to thank you for your assistance in preparing this application.

Sincerely,

Elmer Handy

Operations Manager

A.1.	Facility Information	n.	
	Facility Name	Thaxton Elementary School WWTP	
	Mailing Address	Bedford County School Board P.O. BOX 748 Bedford, VA 24523	
	Contact Person	Mr. Dennis Overstreet	
	Title	Director of Maintenance	
	Telephone Number	(540) 586-1045 X237	
	Facility Address (not P.O. Box)	1081 Monorail Circle, Thaxton, VA 24174	-
A.2.	Applicant Informat	ion. If the applicant is different from the above, provide the following:	DEQ-WCRO
	Applicant Name	Bedford County Public Service Authority	NOV 2 8 2007
	Mailing Address	1723 Falling Creek Rd Bedford, VA 24523	NOV 2 8 2007
	Contact Person	Mr. Elmer Handy	RECEIVED
	Title	Operations Manager	The VIII
	Telephone Number	(540) 586-7679 X 103	
	•	owner or operator (or both) of the treatment works?	
		respondence regarding this permit should be directed to the facility or t	he applicant
	☐ facility	□ applicant □ app	
A.3.	Existing Environment the treatment works	ental Permits. Provide the permit number of any existing environment (include state-issued permits).	al permits that have been issued to
	NPDES <u>VA00</u> 2	20869 PSD	
	UIC	Other	
	RCRA	Other	
A.4.	Collection System Int population of each enti ownership (municipal,	formation. Provide information on municipalities and areas served by ity and, if known, provide information on the type of collection system (or private, etc.).	the facility. Provide the name and combined vs. separate) and its
	Name	Population Served Type of Collection System	Ownership
	Thaxton Element	ary 289 Seperat	te <u>Municipal</u>
	Total population	served <u>289</u>	

A.5.	Indian	Country.				
	a.	Is the treatment works located in	Indian Country?			
		☐ Yes				
	b.	Does the treatment works dischaflows through) Indian Country?	arge to a receiving water that is eit	her in Indian Country or th	at is upstre	am from (and eventually
		☐ Yes No				
A.6.	average	ndicate the design flow rate of the to daily flow rate and maximum daily with the 12 th month of "this year" occ	flow rate for each of the last three	vears. Each vear's data	must be ba	handle). Also provide the sed on a 12-month time
	a.	Design flow rate .0035 m	ngd			
			Two Years Ago	Last Year	I	his Year
	b.	Annual average daily flow rate	.0026	.0026		026
	C.	Maximum daily flow rate	.0026	.0026		026
A.7.	contribu	ion System. Indicate the type(s) o tion (by miles) of each. arate sanitary sewer	f collection system(s) used by the			
		nbined storm and sanitary sewer		-		
				-		%
A.8.	Dischar	ges and Other Disposal Methods	5.			
	a.	Does the treatment works discha	arge effluent to waters of the U.S.?] No
		If yes, list how many of each of the	he following types of discharge poi	nts the treatment works u	ses:	
		i. Discharges of treated	effluent	2		
		ii. Discharges of untreate	ed or partially treated effluent			
		iii. Combined sewer overf	flow points	-		
		iv. Constructed emergence	cy overflows (prior to the headwork	(s)		
		v. Other				
	b.	Does the treatment works dischat that do not have outlets for disch	rge effluent to basins, ponds, or of arge to waters of the U.S.?	ther surface impoundmen] No
		If yes, provide the following for ea	ach surface impoundment:			
		Location:				
		Annual average daily volume dis-	charge to surface impoundment(s)			mgd
		Is discharge	ous or intermittent?			
	C.	Does the treatment works land-a	pply treated wastewater?	[Yes	No
		If yes, provide the following for ea	ach land application site:			
		Location:				
		Number of acres:				
		Annual average daily volume app	olied to site:	mg	d	
		Is land application	inuous or intermittent?			
	d.	Does the treatment works discha treatment works?	rge or transport treated or untreate	ed wastewater to another [Yes	⊠ No

FACILITY NAME AND PERMIT NUMBER:

Thaxton Elementary WWTP VA0020869

Form Approved 1/14/99 OMB Number 2040-0086

WASTEWATER DISCHARGES:

If you answered "yes" to question A.8.a, complete questions A.9 through A.12 once for each outfall (including bypass points) through which effluent is discharged. Do not include information on combined sewer overflows in this section. If you answered "no" to question A.8.a, go to Part B, "Additional Application Information for Applicants with a Design Flow Greater than or Equal to 0.1 mgd."

9.	Desc	ription of Outfall.				
	a.	Outfall number	1			
	b.	Location	Thaxton		24174	
			(City or town, if applicab	le)	(Zip Code)	
			Bedford (County)		VA	
			37 Degree 21' 17"		(State)	
			(Lattitutde)		79 Degree 36' 28" (Longitude)	
	C.	Distance from shore ((if applicable)	NA	ft.	
	d.	Depth below surface	(if applicable)	NA	_ ft.	
	e.	Average daily flow rat	e	.0026	mgd	
	f.	Does this outfall have discharge?	either an intermittent or a pe	eriodic X Yes No	(go to A.9.g.)	
		If yes, provide the foll	owing information:			
		Number f times per ye	ear discharge occurs:	1125		
		Average duration of e	ach discharge:	30 minutes		
		Average flow per disc	harge:	.0005	mgd	
		Months in which disch	narge occurs:	August thru July		
	g.	ls outfall equipped wit	h a diffuser?	☐ Yes ⊠ No		
10.	Desci	ription of Receiving Wa	ters.			
	a.	Name of receiving wa	ter <u>Wolf Creek,</u>	UT		
	b.	Name of watershed (i	f known) Roanoke Riv	/er		
		United States Soil Co	nservation Service 14-digit w	atershed code (if known):	Unknown	
	C.	Name of State Manag	ement/River Basin (if known)	Roanoke Riv	er	
		United States Geolog	ical Survey 8-digit hydrologic	cataloging unit code (if know	n): Unknown	
	d.	Critical low flow of rec acute <u>Unknown</u>	eiving stream (if applicable) cfs	chronic <u>Unknown</u>	cfs	
	e.	Total hardness of rece	eiving stream at critical low flo	ow (if applicable): Unknow	n mg/l of CaCO₃	

FACILITY NAME AND PERMIT NUMBER:

Thaxton Elementary WWTP VA0020869



Form Approved 1/14/99 OMB Number 2040-0086

A.11.	Descri	ption of Tr	eatment					DEQ-V	JORO	contact the strategic fraction of the	
	a.	What leve	els of trea	atment are pr	ovided? Ch	neck all that	apply.	4-511-7-50-7-18-4-4-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-			
		☐ Prima		National Control of the Control of t	Secondary						
		☐ Adva	•		Other. De	scribe:					
	b.			ing removal r							-
	21			oval <u>or</u> Desig			ç	85			%
		Design S			gii ObObo ii	emovai	_	35 35		-	
				"			<u>c</u>	5			%
		Design P					_				%
		Design N	removal				8	35			%
		Other _					-				%
	C.	What type Chlorine		ection is use	d for the effi	luent from t	his outfall?	If disinfection v	aries by s	eason, ple	ease describe:
		If disinfec	tion is by	chlorination	is dechlorina	ation used	for this out	fall?	⊠ Yes	Г	No
	d.			t plant have					Yes		☑ No
A.12	the foll through information In addi- require	lowing para h which eff ation repor tion, this dements for	imeters. luent is ted mus ata must standard	<u>discharged</u> . t be based o t comply wit I methods fo	e indicated Do not incon data colle h QA/QC re or analytes	effluent te clude informected throu equirement not addres	sting requimation on ugh analy is of 40 Cl ssed by 40	ired by the per combined sew sis conducted FR Part 136 and CFR Part 136.	mitting au ver overflousing 40 (I other ap At a min	uthority <u>fo</u> ows in this CFR Part propriate imum, eff	or each outfall s section. All 136 methods. QA/QC luent testing
	the foll through information In addi- require	lowing para h which eff ation repor ition, this d ements for ust be base	imeters. luent is ted mus ata must standard	Provide the discharged. It be based of too to the discharge to the discharge the discharge to the discharge the di	e indicated Do not incon data colle h QA/QC re or analytes	effluent te clude informected throu equirement not addres	sting requimation on ugh analy is of 40 Cl ssed by 40	ired by the per combined sew sis conducted of R Part 136 and	mitting au ver overflousing 40 (I other ap At a min	uthority <u>fo</u> ows in this CFR Part propriate imum, eff	or each outfall s section. All 136 methods. QA/QC luent testing
	the foll through information In addition required data m	lowing para h which eff ation repor ition, this d ements for ust be base	imeters. luent is ted mus ata must standard ed on at	Provide the discharged. It be based of too to the discharge to the discharge the discharge to the discharge the di	e indicated Do not inc on data coll ch QA/QC re or analytes samples an	effluent te clude infornected throu equirement not addres d must be	sting requimation on ugh analy is of 40 Cl ssed by 40	ired by the per combined sew sis conducted FR Part 136 and CFR Part 136.	mitting au ver overflo using 40 (I other ap At a min ne-half ye	uthority <u>fo</u> ows in this CFR Part propriate imum, eff ears apart	or each outfall s section. All 136 methods. QA/QC luent testing
	the foll through informatin addition required data minumber:	lowing para h which eff ation repor ition, this d ements for ust be base	imeters. luent is ted mus ata must standard ed on at	Provide the discharged. It be based of comply with methods follows three s	e indicated Do not inc on data coll ch QA/QC re or analytes samples an	effluent te clude informected through equirement not address d must be	sting requimation on ugh analy is of 40 Cl ssed by 40	ired by the per combined sew sis conducted of FR Part 136 and OCFR Part 136. Than four and o	mitting au ver overflo using 40 (I other ap At a min ne-half ye	uthority <u>fo</u> bws in this CFR Part propriate imum, eff ears apart	or each outfall s section. All 136 methods. QA/QC luent testing
Outfall I	the foll through informatin addition require data mumber: PARAM	lowing para h which eff ation repor ition, this d ements for ust be base	imeters. luent is ted mus ata must standard ed on at	Provide the discharged. It be based of comply with methods for least three s	e indicated Do not inc on data coll ch QA/QC re or analytes samples an	effluent te clude information ected through equirement not address d must be	sting requesting requestion on ugh analyus of 40 Classed by 40 no more t	ired by the per combined sew sis conducted of FR Part 136 and CFR Part 136. Than four and of AVERAGI	mitting au ver overflo using 40 (I other ap At a min ne-half ye	uthority <u>fo</u> bws in this CFR Part propriate imum, eff ears apart	or each outfall is section. All 136 methods. QA/QC luent testing
Outfall I	the foll through information addition require data mumber: PARAMAIMMENT	lowing para h which eff ation repor ition, this d ements for ust be base	imeters. luent is ted mus ata must standard ed on at	Provide the discharged. It be based of comply with methods for least three s	e indicated Do not inc on data colle th QA/QC re or analytes samples an	effluent te clude information ected through equirement not addrest d must be	sting requesting requestion on ugh analyus of 40 Classed by 40 no more t	ired by the per combined sew sis conducted of FR Part 136 and CFR Part 136. Than four and of AVERAGI	mitting au ver overflo using 40 (I other ap At a min ne-half ye	uthority <u>fo</u> bws in this CFR Part propriate imum, eff ears apart	or each outfall is section. All 136 methods. QA/QC luent testing
Outfall (pH (Mir pH (Ma	the foll through information addition require data menumber: PARAMenimum) ximum)	lowing para h which eff ation repor ition, this d ements for ust be base	imeters. luent is ted mus ata must standard ed on at	Provide the discharged. It be based of comply with methods for least three services. MAXIMUM I Value 6.5	DAILY VAI	effluent te clude information ected through equirement not addrest d must be	sting requesting requestion on ugh analyus of 40 Classed by 40 no more t	ired by the per combined sew sis conducted of FR Part 136 and CFR Part 136. Than four and of AVERAGI	mitting au ver overflo using 40 (I other ap At a min ne-half ye	uthority <u>fo</u> bws in this CFR Part propriate imum, eff ears apart	or each outfall is section. All 136 methods. QA/QC luent testing
Outfall of the pH (Mirph (Ma. Flow Ra	the foll through information addition require data menumber: PARAMenimum) ximum)	lowing para h which eff ation repor ition, this dements for ust be base	imeters. luent is ted mus ata must standard ed on at	Provide the discharged. It be based of comply with methods for least three services. MAXIMUM I Value 6.5 8.9	DAILY VAI	effluent te clude information ected through equirement not addrest d must be	sting requesting requestion on ugh analytics of 40 Classed by 40 no more to Value	aired by the per combined sew sis conducted of FR Part 136 and OCFR Part 136. Then four and of AVERAGI	mitting au ver overflo using 40 (I other ap At a min ne-half ye	uthority <u>fo</u> bws in this CFR Part propriate imum, eff ears apart	r each outfall s section. All 136 methods. QA/QC luent testing .
Outfall (pH (Mir pH (Ma Flow Ra Temper	the foll throug informa In addi require data m number: PARAM nimum) atte rature (Water (Su	lowing para h which eff ation repor ition, this d ements for ust be base METER finter)	imeters. iluent is ted mus ata must standard ed on at	Provide the discharged. It be based of comply with methods for least three services. WAXIMUM I Value 6.5 8.9 .0026 13.6 25.7	DAILY VAI Unit s.u. MGE deg deg deg deg deg deg deg de	effluent teclude informected throughout address d must be	sting requesting requestion on ugh analysis of 40 Classed by 40 no more to value	aired by the per combined sew sis conducted of FR Part 136 and OCFR Part 136. Than four and of AVERAGI	mitting au ver overflo using 40 (I other ap At a min ne-half ye	uthority <u>fo</u> bws in this CFR Part propriate imum, eff ears apart	or each outfall is section. All 136 methods. QA/QC luent testing
Outfall (pH (Mir pH (Ma Flow Ra Temper	the foll through information addition additional addition	lowing para h which eff ation repor ition, this d ements for ust be base METER finter)	imeters. iluent is ted mus ata must standard ed on at	Provide the discharged. It be based of comply with methods for least three services. WAXIMUM I Value 6.5 8.9 .0026 13.6 25.7 mimum and a	DAILY VAI Unit s.u. MGE deg deg deg deg deg deg deg de	effluent teclude informected throughout address distributed by the control of the	sting requesting requestion on ugh analytics of 40 Classed by 40 no more to value	aired by the per combined sew sis conducted of FR Part 136 and OFFR Part 136. Than four and of MG deg	mitting au ver overflo using 40 (I other ap At a min ne-half ye E DAILY ts	uthority <u>fo</u> bws in this CFR Part propriate imum, eff ears apart	r each outfall s section. All 136 methods. QA/QC luent testing . r of Samples
Outfall (pH (Mir pH (Ma Flow Ra Temper	the foll through information addition additional addition	lowing para h which eff ation repor ition, this d ements for ust be base (METER finter) ummer) H please rep	imeters. iluent is ted mus ata must standard ed on at	Provide the discharged. It be based of comply with methods for least three self-self-self-self-self-self-self-self-	DAILY VAI Ballet Samples an MGE Condition data collection da	effluent teclude informected throughout address distributed by the control of the	value .0026 6.5 22.7	AVERAGI AVERAGI O DAILY	mitting au ver overflousing 40 (all other ap At a min ne-half year) E DAILY ts D C ANAL	uthority <u>fo</u> bws in this CFR Part propriate imum, eff ears apart VALUE Numbe	or each outfall is section. All 136 methods. QA/QC luent testing
Outfall (pH (Mir pH (Ma Flow Ra Temper	the foll through information addition additional addition	lowing para h which eff ation repor ition, this d ements for ust be base (METER finter) ummer) H please rep	imeters. iluent is ted mus ata must standard ed on at	Provide the discharged. It be based of comply with methods for least three self-self-self-self-self-self-self-self-	DAILY VAI DAILY VAI Construction data collection data collec	effluent teclude informected throughout address distributed by the control of the	value .0026 6.5 22.7	AVERAGI AVERAGI O DAILY	mitting au ver overflousing 40 (double to the late of	uthority for the control of the cont	r each outfall s section. All 136 methods. QA/QC luent testing . r of Samples
Outfall pH (Mir pH (Ma Flow Ra Temper Temper	the foll through information addition addition require data mumber: PARAMAIMMENT (W. A. S.	inter) Jean and a please report of the please repo	imeters. Iluent is ted must ata must standard ed on at 1001	Provide the discharged. It be based of comply with methods for least three services. WAXIMUM I Value 6.5 8.9 .0026 13.6 25.7 mimum and a MAXIMU DISCH	DAILY VAI DAILY VAI Unit: s.u. MGI deg maximum di M DAILY IARGE Units	effluent teclude informected throughout address d must be LUE s C c c laily value A Conc.	value .0026 6.5 22.7	AVERAGI AVERAGI DAILY RGE Number of	mitting au ver overflousing 40 (double to the late of	uthority for the control of the cont	r each outfall s section. All 136 methods. QA/QC luent testing . r of Samples
Outfall of the pH (Mirror pH (Ma. Flow Ra Temper Temper PH (CONV)	the foll through information addition a	METER Winter) Lummer) H please report of the ple	imeters. Iluent is ted must ata must standard ed on at 1001	Provide the discharged. It be based of comply with methods for least three self. MAXIMUM I Value 6.5 8.9 .0026 13.6 25.7 nimum and a MAXIMU DISCH Conc.	DAILY VAI DAILY VAI Unit: s.u. MGI deg maximum di M DAILY IARGE Units	effluent teclude informected throughout address d must be LUE s C c c laily value A Conc.	value .0026 6.5 22.7	AVERAGI AVERAGI DAILY RGE Number of	mitting au ver overflo using 40 (I other ap At a min ne-half ye E DAILY ts D C ANAL MET	uthority for the control of the cont	r each outfall s section. All 136 methods. QA/QC luent testing . r of Samples
Outfall of the pH (Mirror pH (Ma. Flow Ra Temper Temper PH (CONV)	the foll through information addition a	which eff ation reportion, this dements for sust be base METER Sinter) Jammer) Jelease republication one	ineters. Iluent is ted must ata must standard ed on at ata must standard ed	Provide the discharged. It be based of comply with methods for least three some some some some some some some so	DAILY VAI Unit: s.u. MGI deg maximum di M DAILY IARGE Units	effluent teclude informected throughout address distributed by the control of the	value .0026 6.5 22.7 VERAGE DISCHA	AVERAGI AVERAGI O DAILY RGE Number of Samples	mitting au ver overflo using 40 (I other ap At a min ne-half ye E DAILY ts D C ANAL MET	vithority for the control of the con	ar each outfall is section. All 136 methods. QA/QC luent testing ar of Samples 36 48 20 ML/MDL
Dutfall of the ph (Mar Flow Rate Temper Temper Temper DEMANI FECAL	the foll through information addition a	METER Winter) Jammer) Jelease report of the properties of the p	ineters. Iluent is ted must ata must standard ed on at a mir a must standard ed on at a must standard ed	Provide the discharged. It be based of comply with methods for least three some some some some some some some so	DAILY VAI Unit: s.u. MGI deg maximum di M DAILY IARGE Units	effluent teclude informected throughout address distributed by the control of the	value .0026 6.5 22.7 VERAGE DISCHA	AVERAGI AVERAGI O DAILY RGE Number of Samples	mitting au ver overflo using 40 (I other ap At a min ne-half ye E DAILY ts D C ANAL MET	vithority for the control of the con	ar each outfall is section. All 136 methods. QA/QC luent testing ar of Samples 36 48 20 ML/MDL

FACILITY NAME AND PERMIT NUMBER:


Thaxton Elementary WWTP VA0020869

Form Approved 1/14/99 OMB Number 2040-0086

BASIC APPLICATION II	NFORMATION	
PART C. CERTIFICATION	1	
applicants must complete all appli	cable sections of Form 2A, as exposing this certification stateme	tructions to determine who is an officer for the purposes of this certification. All plained in the Application Overview. Indicate below which parts of Form 2A you have nt, applicants confirm that they have reviewed Form 2A and have completed all ted.
Indicate which parts o	of Form 2A you have comple	eted and are submitting:
Basic Application Info	rmation packet	Supplemental Application Information packet:
		Part D (Expanded Effluent Testing Data)
		Part E (Toxicity Testing: Biomonitoring Data)
		Part F (Industrial User Discharges and RCRA/CERCLA Wastes)
		Part G (Combined Sewer Systems)
ALL APPLICANTS MUST CO	MPLETE THE FOLLOWING	CERTIFICATION.
designed to assure that qualified p manage the system or those person	personnel properly gather and eva ons directly responsible for gather	were prepared under my direction or supervision in accordance with a system aluate the information submitted. Based on my inquiry of the person or persons who ring the information, the information is, to the best of my knowledge and belief, true, ties for submitting false information, including the possibility of fine and imprisonment
Name and official title	Elmer HANdy	Operations Manager
Signature	Elm Wy	
Telephone number	(SAU) 584 0767.	9 x 103
Date signed	11-26-07	
Upon request of the permitting auth works or identify appropriate permi	hority, you must submit any other itting requirements.	information necessary to assure wastewater treatment practices at the treatment

SEND COMPLETED FORMS TO:

DEQ-WCRO NOV 2 8 2007 RECEIVED



VPDES SEWAGE SLUDGE PERMIT APPLICATION FORM


SCREENING INFORMATION

This application is divided into sections. Sections A pertain to all applicants. The applicability of Sections B, C and D depend on your facility's sewage sludge use or disposal practices. The information provided on this page will help you determine which sections to fill out.

- 1. All applicants must complete Section A (General Information).
- 2. Does this facility generate sewage sludge? X Yes No

Does this facility derive a material from sewage sludge? __Yes X__No

If you answered Yes to either, complete Section B (Generation Of Sewage Sludge Or Preparation Of A Material Derived From Sewage Sludge).



3. Does this facility apply sewage sludge to the land? \underline{X} No

Is sewage sludge from this facility applied to the land? Yes X No

If you answer No to all above, skip Section C.

If you answered Yes to either, answer the following three questions:

a. Does the sewage sludge from this facility meet the ceiling concentrations, pollutant concentrations, Class A pathogen reduction requirements and one of the vector attraction reduction requirements 18, as identified in the instructions?

__Yes __No

- b. Is sewage sludge from this facility placed in a bag or other container for sale or give-away for application to the land? __Yes __No
- c. Is sewage sludge from this facility sent to another facility for treatment or blending? __Yes __No

If you answered No to all three, complete Section C (Land Application Of Bulk Sewage Sludge).

If you answered Yes to a, b or c, skip Section C.

4. Do you own or operate a surface disposal site? Yes X No

If Yes, complete Section D (Surface Disposal).

SECTION A. GENERAL INFORMATION

All applicants must complete this section.

1.	Facilit	ty Information.		Collection	REGEIVED
	a.	Facility name: Thaxton Elementary School WWTP			
	b.	Contact person: Dennis Overstreet		**	JAN 4 2008
		Title: Director of Maintenance		ukan sana	Common and
		Phone: (540) 586-1045		į	Description of the control of the co
	c.	Mailing address:			DEQ-WCRO
		Street or P.O. Box: P.O. Box 748	G	Freezen.	
	d.	City or Town: Bedford	State:_	VA	Zip:24523
	u.	Facility location: Street or Route #: 1081 Monorail Circle			
		County: Bedford			
			State:	VA	Zip:_24174
	e.	Is this facility a Class I sludge management facility?			
	f.	Facility design flow rate:0035			mgd
	g.	Total population served: 289			
	h.	Indicate the type of facility:			
		X Publicly owned treatment works (POTW)			
		Privately owned treatment works			
		Federally owned treatment works			
		Blending or treatment operation			
		Surface disposal site Other (describe):			
		Other (describe).			
2.	Applic	cant Information. If the applicant is different from the	above i	provide the t	following:
	a.	Applicant name: Bedford County Public Service A			iono ving.
	b.	Mailing address:			
		Street or P.O. Box: 1723 Falling Creek Rd.			
		City or Town: Bedford	State	e: <u>VA</u>	Zip: <u>_24523</u>
	c.	Contact person: Elmer Handy			
		Title: Operations Manager			
		Phone: (540) 586-7679 x 103			
	d.	Is the applicant the owner or operator (or both) of thi	s facilit	w?	
	u.	ownerXoperator	s raciii	·y ·	
	d.	Should correspondence regarding this permit be direct	cted to 1	the facility	or the applicant?
		facilityX applicant			
3.	Permit	Information.			
	a.	Facility's VPDES permit number (if applicable): <u>VA</u>			
	b.	List on this form or an attachment, all other federal, s	state or	local permi	ts or construction approvals received
		or applied for that regulate this facility's sewage sludg	ge mana	agement pra	actices:
		Permit Number: Type of Permit:			
					
1.	Indian	Country. Does any generation, treatment, storage, appl	ication	to land or o	disposal of sewage sludge from this
m 9	facility	occur in Indian Country?Yes _X_No If yes, description	cribe:	idild of C	and a serial of start and a st
	•	·			

- 5. Topographic Map. Provide a topographic map or maps (or other appropriate maps if a topographic map is unavailable) that shows the following information. Maps should include the area one mile beyond all property boundaries of the facility:
 - a. Location of all sewage sludge management facilities, including locations where sewage sludge is generated, stored, treated, or disposed.
 - b. Location of all wells, springs, and other surface water bodies listed in public records or otherwise known to the applicant within 1/4 mile of the property boundaries.
- 6. Line Drawing. Provide a line drawing and/or a narrative description that identifies allsewage sludge processes that will be employed during the term of the permit including all processes used for collecting, dewatering, storing, or treating sewage sludge, the destination(s) of all liquids and solids leaving each unit, and all methods used for pathogen reduction and vector attraction reduction.

7.	Contractor Information. Are any operational or maintenance aspects of this facility related to sewage sludge
	generation, treatment, use or disposal the responsibility of a contractor? X Yes No
	If yes, provide the following for each contractor (attach additional pages if necessary) ECEIVED
	Name: Bedford Septic Service
	Mailing address:
	Street or P.O. Box: 5914 Big Island Hwy.
	City or Town: Bedford State: VA Zip: 24523
	Phone: ()
	Contractor's Federal, State or Local Permit Number(s) applicable to this facility's sewage sludge! CRO

If the contractor is responsible for the use and/or disposal of the sewage sludge, provide a description of the service to be provided to the applicant and the respective obligations of the applicant and the contractor(s).

8. Pollutant Concentrations. Using the table below or a separate attachment, provide sewage sludge monitoring data for the pollutants which limits in sewage sludge have been established in 9 VAC 2531-10 et seq. for this facility's expected use or disposal practices. All data must be based on three or more samples taken at least one month apart and must be no more than four and one-half years old.

POLLUTANT	CONCENTRATION (mg/kg dry weight)	SAMPLE DATE	ANALYTICAL METHOD	DETECTION LEVEL FOR ANALYSIS
Arsenic				
Cadmium				
Chromium	NA			
Copper		. ^		
Lead	=	M		
Mercury		N		
Molybdenum				
Nickel				
Selenium				
Zinc				

Certification. Read and submit the following certification statement with this application. Refer to the instructions to
determine who is an officer for purposes of this certification. Indicate which parts of the application you have
completed and are submitting:

X	Section A (General Information)
X	Section B (Generation of Sewage Sludge or Preparation of a Material Derived from Sewage Sludge)
	Section C (Land Application of Bulk Sewage Sludge)
	Section D (Surface Disposal)

I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system or those persons directly responsible for gathering the information, the information is, to the best of my knowledge and belief, true, accurate and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.

Name and official title <u>Elmer Handy Operation Manager</u>

Signature Date Signed

Telephone number (540) 586-7679 ext 103

Upon request of the department, you must submit any other information necessary to assess sewage sludge use or disposal practices at your facility or identify appropriate permitting requirements.

DEQ-WCRO
NOV 28 2007
RECEIVED

SECTION B. GENERATION OF SEWAGE SLUDGE OR PREPARATION OF A MATERIAL DERIVED FROM SEWAGE SLUDGE

Complete this section if your facility generates sewage sludge or derives a material from sewage sludge

1.		unt Generated On Site. I dry metric tons per 365-day period generated at your facility: <1 dry metric tons
2.	dispo	unt Received from Off Site. If your facility receives sewage sludge from another facility for treatment, use or osal, provide the following information for each facility from which sewage sludge is received. If you receive ge sludge from more than one facility, attach additional pages as necessary. Facility name: Contact Person: Title: Phone ()
	c.	Mailing address:
		City or Town: State: Zip: \ State
	d.	Facility Address: (not P.O. Box)
	e. f.	Total dry metric tons per 365-day period received from this facility: dry metric tons Describe, on this form or on another sheet of paper, any treatment processes known to occur at the offsite facility, including blending activities and treatment to reduce pathogens or vector attraction characteristics:
3.	Treat	ment Provided at Your Facility.
	a.	Which class of pathogen reduction is achieved for the sewage sludge at your facility? Class AClass BX_Neither or unknown
	b.	Describe, on this form or another sheet of paper, any treatment processes used at your facility to reduce pathogens in sewage sludge:
	c.	Which vector attraction reduction option is met for the sewage sludge at your facility? Option 1 (Minimum 38 percent reduction in volatile solids) Option 2 (Anaerobic process, with bench-scale demonstration) Option 3 (Aerobic process, with bench-scale demonstration) Option 4 (Specific oxygen uptake rate for ærobically digested sludge) Option 5 (Aerobic processes plus raised temperature) Option 6 (Raise pH to 12 and retain at 11.5) Option 7 (75 percent solids with no unstabilized solids) Option 8 (90 percent solids with unstabilized solids) X None or unknown
	d.	Describe, on this form or another sheet of paper, any treatment processes used at your facility to reduce vector attraction properties of sewage sludge: Covered Septic
	e.	Describe, on this form or another sheet of paper, any other sewage sludge treatment activities, including blending, not identified in a - d above:
4.	Prepa of Ve	ration of Sewage Sludge Meeting Ceiling and Pollutant Concentrations, Class A Pathogen Requirements and One ctor Attraction Reduction Options 1-8 (EQ Sludge).
		age sludge from your facility does not meet all of these criteria, skip Question 4.)
	à.	Total dry metric tons per 365-day period of sewage sludge subject to this section that is applied to the land: dry metric tons
	b.	Is sewage sludge subject to this section placed in bags or other containers for sale or give-away?

h. Does the receiving facility provide any additional treatment or blending not identified in f or g above?

Yes X No

reduce vector attraction properties of sewage sludge: Anaerobic Digestion

If yes, describe, on this form or another sheet of paper, the treatment processes not identified in f or g above:

Describe, on this form or another sheet of paper, any treatment processes used at the receiving facility to

None unknown

	i.	If you answered yes to f., g or h above, attach a copy of any information you provide to the receiving facility to comply with the "notice and necessary information" requirement of 9 VAC 2531-530.G.
	j	Does the receiving facility place sewage sludge from your facility in a bag or other container for sale or give away for application to the land?Yes _X_No
	k.	If yes, provide a copy of all labels or notices that accompany the product being sold or given away. Will the sewage sludge be transported to the receiving facility in a truck-mounted watertight tank normally used for such purposes? _X_ Yes No. If no, provide description and specification on the vehicle used to transport the sewage sludge to the receiving facility.
		Show the haul route(s) on a location map or briefly describe the haul route below and indicate the days of the week and the times of the day sewage sludge will be transported.
		JAN 4 2008
-	Y 1 A	
7.		pplication of Bulk Sewage Sludge.
		te Question 7.a if sewage sludge from your facility is applied to the land, unless the sewage sludge is covered in Questions 4, 5 or
		ete Question 7.b, c & d only if you are responsible for land application of sewage sludge.) Total dry metric tons per 365-day period of sewage sludge applied to all land application sites: dry
	a.	Total dry metric tons per 365-day period of sewage sludge applied to all land application sites:dry metric tons
	b.	Do you identify all land application sites in Section C of this application?YesNo
		If no, submit a copy of the Land Application Plan (LAP) with this application (LAP should be prepared in accordance with the instructions).
	c.	Are any land application sites located in States other than Virginia?YesNo
		If yes, describe, on this form or on another sheet of paper, how you notify the permitting authority for the
		States where the land application sites are located. Provide a copy of the notification.
		/ / /
	1	August a compact of the state o
	d.	Attach a copy of any information you provide to the owner or lease holder of the land application sites to
		comply with the "notice and necessary" information requirement of 9 VAC 2531-530 F and/or H (Examples may be obtained in Appendix IV). See RWTF Application
		may be obtained in Appendix IV). See KWIF Application
8.	Surface	Disposal.
		te Question 8 if sewage sludge from your facility is placed on a surface disposal site.)
	a.	Total dry metric tons per 365-day period of sewage sludge from your facility placed on all surface dsposal
		sites: dry metric tons
	b.	Do you own or operate all surface disposal sites to which you send sewage sludge for disposal? YesNo
		If no, answer questions c - g for each surface disposal site that you do not own or operate. If you send sewage
		sludge to more than one surface disposal site, attach additional pages as necessary.
	c.	Site name or number:
	d.	Contact person:
		Title:
		Phone: ()
	_	Contact is:Site OwnerSite operator
	e.	Mailing address. Street or P.O. Box:
	f.	City or Town: State: Zip: Total dry metric tons per 365-day period of sewage sludge from your facility placed on this surface disposal
	1.	site: dry metric tons per 363-day period of sewage studge from your facility placed on this surface disposal
	g.	List, on this form or an attachment, the surface disposal site VPDES permit number as well as the numbers of
	۵.	all other federal, state or local permits that regulate the sewage sludge use or disposal practices at the surface
		disposal site:
		Permit Number: Type of Permit:
		Type of Felling.

Waste Management Regulation, 9 VAC 20-80-10 et seq.? Yes No

Will the vehicle bed or other container used to transport sewage sludge to the municipal solid waste landfill

be watertight and covered? ___ Yes ___ No

i.

Show the haul route(s) on a location map or briefly describe the route below and indicate the days of the week and time of the day sewage sludge will be transported.





October 10, 2002

Mr. Elmer Handy Operations Manager Bedford County Public Service Authority 1723 Falling Creek Road Bedford, VA 24523-3137

Dear Mr. Handy:

The City of Roanoke will accept your request to treat the sludge from the following Schools:

- Body Camp Elementary School ~6.000 gallons/year
- New London Academy ~1,800 gallons/year
- Stewartsville Elementary School ~10.000 gallons/year
- Otter River Elementary School ~4,500 gallons/year
- Thaxton Elementary School ~3,000 gallons/year

It is the City's understanding that all of this sludge is domestic in origin. If there is a substantial change in the quantity of sludge that is produced or a change in your treatment plant processes you must notify the Roanoke Regional Water Pollution Control Plant.

If you have any questions, please call me.

Sincerely

Martin E. Sensabaugh Pretreatment Coordinator

ms

c: Scott Shirley, Wastewater Manager

- 1. **Entity to whom the permit is to be issued**: <u>Bedford County Public Schools</u>
 Who will be legally responsible for the wastewater treatment facilities and compliance with the permit?
 This may or may not be the facility or property owner.
- 2. Is this facility located within city or town boundaries? Y/N \underline{N}

	3. Provide the tax map parcel number for the land where the discharge is located. 107 A 101
۵ %	4. For the facility to be covered by this permit, how many acres will be disturbed during the next five years due to new construction activities? NA
VE 2008	What is the design average effluent flow of this facility? MGD
PECEIVEL JAN 7 4 2008	In addition to the design flow or production level, should the permit be written with limits for any other discharge flow tiers or production levels? Y/N N If "Yes", please identify the other flow tiers (in MGD) or production levels:
	Please consider the following questions for both the flow tiers and the production levels (if applicable): Do you plan to expand operations during the next five years? Is your facility's design for considerably greater than your current flow?
	6. Nature of operations generating wastewater: Elementary School
	0 % of flow from domestic connections/sources Number of private residences to be served by the treatment works: NA
	100_% of flow from non-domestic connections/sources
	7. Mode of discharge:ContinuousX_IntermittentSeasonal Describe frequency and duration of intermittent or seasonal discharges:The plant flow when the school is in session typically between the hours of 9:30 to 15:30.
	8. Identify the characteristics of the receiving stream at the point just above the facility's discharge point:
	Permanent stream, never dry
	X Intermittent stream, usually flowing, sometimes dry
	Ephemeral stream, wet-weather flow, often dry
	Effluent-dependent stream, usually or always dry without effluent flow
	Lake or pond at or below the discharge point
	Other:
	9. Approval Date(s):
	O & M Manual <u>3-12-04</u> Sludge/Solids Management Plan <u>10-02-2002</u>
	Have there been any changes in your operations or procedures since the above approval dates? Y/N \underline{N}